

Volume-1 | Issue-I | September-2025 | ISSN: 3049-298X





## GKUJMR Peer-Reviewed Journal

Received: 06.08.2025

Accepted: 16.09.2025

Published: <u>25.09.2025</u>

Page No: <u>55 - 60</u>

DOI: 10.5281/zenodo.172 07069

# The Role of Physical Education in Preventing and Reducing Drug Addiction Among Adolescents

<sup>1</sup>Dr. Jaswinder Singh, <sup>2</sup>Ms. Sakshi Nagru

<sup>1</sup>Associate Professor of Physical Education, Guru Kashi University, Talwandi Sabo, Bathinda

<sup>2</sup>Assistant Professor of Physical Education, Guru Kashi University, Talwandi Sabo, Bathinda

Email: <sup>1</sup>drjaswindersingh@gku.ac.in, <sup>2</sup>drsakshinagru172117@gku.ac.in

Abstract — Adolescent drug use seems to be a rampant area of concern around the world, especially for their health and development at all levels. This current study aims to investigate the role of physical education (PE) as a preventive and intervention strategy for substance use during the teenage years. Regular participation in exercise and sports contributes to improvement in physical fitness as well as stress management, resilience, and the adoption of positive lines of defense. PE enhances existing peer relationships and engages children in positive, organized physical activity so as to lessen the potential for unstructured, high-risk behavior. This study aims at establishing and understanding the correlation and interrelationships between PE and the mental health of the students. The findings of the study argue that PE has the potential to improve the overall well-being of the students with the added benefit of reducing drug usage in school..

Keywords –Physical Education, Adolescent Drug use, Substance Abuse Prevention, Mental Health, Peer Pressure.

⊠: gkujournal@gku.ac.in

## 1. Introduction

High schools are now partaking in ASHTR periods for growth development and self-growth time. During this one-hour time, this age group will begin to experiment with various growth issues, and one of them is drug use. The National Institute on Drug Abuse indicates that there is a significant portion of the schoolaged population that engages in alcohol and drug use. This involves alcohol, drugs, and prescription drugs that are used with cannabis and are not integrated by doctors.

Drugs is one of the various issues in a society. Although strategies to confront it do exist. These are such issues as drug and alcohol awareness and informing physical styles of life. These views are not only the approach made by other programs that deal with the physical dangers of drugs. PE deals with not only physical activity but also mental and social activity. Social sports develop various types of support, such as lower stress activity, strategy discipline, and more.

As a result, it will lower the likelihood of drug use in teenagers. This research combines physical activity in her life with biases in sports. These include physical education surveys, sociability with academic power, and other studies. It shows that drug abuse among younger people is on the rise.







Volume-1 | Issue-I | September-2025 | ISSN: 3049-298X

### 2. LITERATURE REVIEW

Author(s) & Year	Focus/Theme	Key Findings	Implications for Study
Martens & Webber (2018)	Substitution hypothesis; neuropsychological effects of exercise	Exercise releases endorphins, dopamine, and serotonin, improving mood and serving as a natural alternative to drugs.	The psychological attractiveness of drugs decreases with exercise.
Bailey (2006)	Social control theory; structured activity	PE provides routines and positive group affiliations that reduce deviant behaviors.	Physical activity itself is structured and thus minimizes potential for negative behaviors.
WHO (2022)	Global adolescent physical activity	Those teens who consistently exercised were 35% less likely to say they used drugs.	Strong empirical evidence that PE protects.
Smith et al. (2020)	PE and substance use in 1,200 students	Regular PE lowered reported alcohol and cannabis use by 30%.	PE activities in schools may drastically decrease drug usage.
Johnson & Lee (2019)	Peer pressure and sports	Sports participation linked to reduced susceptibility to peer pressure.	Positive peer networks prevent drug use.
Pate & O'Neill (2017)	Youth activity patterns	Consistent physical activity linked to decreased engagement in unhealthy behaviors.	Reinforces long-term pro

 Table 1: Literature Review on Physical Education and Drug Addiction Prevention

## 2.1 Theoretical Background

The connection between exercise and decreased drug consumption is backed by various theories. Substitution theory proposes that exercise fulfills the desire for excitement and tension relief, lowering the attractiveness of drugs (Martens & Webber, 2018). Social control theory holds that organized schedules and healthy peer groups, both prevalent in PE and athletics, deter dangerous actions (Bailey, 2006).

## 2.2 Empirical Evidence

Research consistently supports these theories. Those teens who consistently exercised were 35% less likely to say they used drugs. Smith et al. (2020) observed a 30% drop in alcohol and cannabis use among students involved in school sports. Johnson and Lee (2019) showed that teens who played sports regularly were less likely to give in to peer pressure, a key factor in drug initiation.

## 2.3 Psychological Benefits

Exercise impacts brain chemistry by increasing neurotransmitters such as dopamine and serotonin. These enhance mood and decrease stress by providing natural reinforces, which are similar to the ones produced by drugs (Martens & Webber, 2018).

## 2.4 Social and Emotional Benefits

Sports also help teens make friends, build self-esteem and shape a clearer sense of their identity. This positive social scene alleviates their necessity to bend to the approval of drug and alcohol using peers (Pate & O'Neill, 2017).





Volume-1 | Issue-I | September-2025 | ISSN: 3049-298X

## 2.5 Gaps in Knowledge

Even with strong evidence, we still need to study how PE programs perform in various settings. For example, we should look at how they work in rural schools compared to city schools. We also need to explore how cultural differences affect the results.

Study	Sample Size	Key Findings	Year
Smith et al.	1,200	30% drop in alcohol/cannabis use with PE	2020
Johnson & Lee	ohnson & Lee 850 Regular sports redu pressure		2019
WHO Global Report 15,000		35% reduction in substance use with activity	2022

Table 2: Key Studies Linking PE to Reduced Drug Use

### 3. METHODOLOGY

## 3.1 Research Design

This research employed a blend of methods mixing surveys and interviews to gather both numbers and personal stories.

## 3.2 Survey Data

Three city schools participated, and 300 young students completed a survey that asked how much they exercise, whether they are stressed out and if they use drugs. The study split the students into groups based on how often they had PE: often (3+ days) sometimes (<3 days), or never.

Category	Number	%'age
Male	150	50%
Female	150	50%
Ages 13–15	120	40%
Ages 16–18	180	60%


**Table 3: Respondent Demographics** 

## 3.3 Interviews

Seven professionals, including two addiction counselors and five PE teachers, shared their experiences working with students around physical exercise and preventing drug use.

## 3.4 Data Analysis

Researchers used descriptive statistics to analyze the numbers and coded interviews to spot shared patterns.







### 4. RESULTS

## 4.1 Quantitative Findings

The survey showed students who often joined PE were much less likely to experiment with drugs.

PE Frequency	Tried Drugs	Never Tried Drugs
Regular (3+ days/week)	12%	88%
Irregular (<3 days)	28%	72%
None	45%	55%

Table 4: Drug Use vs. PE Participation

## 4.2 Qualitative Findings

Counsellors said students who were physically active had healthier coping skills and less anxiety. Teachers emphasized that PE promoted discipline, teamwork, and resilience—traits that protect against risky behaviour.

## 5. DISCUSSION

## 5.1 Protective Role of PE

Both surveys and interviews suggest that PE decreases the chances of adolescent drug use by offering students healthier options and routines.

## **5.2 Psychological Pathways**

It lifts mood, lowers stress and enhances natural rewards, which dont have to be sought in a drink or a drug.

## **5.3 Social Pathways**

In sport, children are in positive peer groups and they have a sense of belonging, reducing the impact of peers using drugs.

## 5.4 Policy and Education Implications

Schools should require PE in all grades, integrate mental health lessons into PE, and expand afterschool sports programs, especially in communities most at risk.

## 5.5 Limitations and Future Directions

This research looked only at schools in cities. Future studies need to explore rural areas cultural variations, results over time, and how effects differ based on gender.

## 6. RECOMMENDATIONS

- **PE classes even day of week:** All grade levels would have P.E. every other day passed in person for elementary schools up to middle school.
- Combine PE with mental health lessons: Include activities to teach resilience and coping skills during physical education.







Volume-1 | Issue-I | September-2025 | ISSN: 3049-298X

- Offer more activities: Bring more afterschool sports programs to places at higher risk.
- **Teacher preparation:** Train PE teachers with basic tools to address substance abuse prevention.
- **Government involvement:** Authorities must back PE programs by providing funding and making them a priority in prevention plans.

## 7. CONCLUSION

Physical education is always more than just a subject in school. It's acted like a shield for teen drug use. This research demonstrates that boys who engage in regular PE are more able to cope, become better friends and more resistant to peer pressure and stress. The incorporation of good quality physical education as a part of school curriculum will be significantly among the youth with regards to substance abuse and promoting mental and physical wellness. This early step will leave a positive effect on students' health-related decisions and growth.

Benefit	Impact on Adolescents	
Improved mental health	Lower anxiety, depression, and cravings	
Higher self-esteem	creased value and self-assuredness	
Positive peer groups	Reduced peer pressure toward drugs	
Structured routines	Less doing nothing, less risky behaviors	
Sportsmanship/resilience	Improved stress tolerance and mood control	

**Table 5: Benefits of PE in Preventing Drug Use** 

## REFERENCES

- [1] Bailey, R. (2006). Physical education and sport in schools: A review of benefits and outcomes. Journal of School Health, 76(8), 397–401. https://doi.org/10.1111/j.1746-1561.2006.00132.x
- [2] Battista, R. A., Pivarnik, J. M., Dummer, G. M., Sauer, N., & Malina, R. M. (2018). The relationship of physical activity and sport participation to substance use among adolescents: A review. Health Education Research, 33(3), 215–227. https://doi.org/10.1093/her/cyy015
- [3] Chen, C. Y., & Storr, C. L. (2009). Alcohol use and health-related quality of life among youth in Taiwan. Journal of Adolescent Health, 44(3), 310–318. https://doi.org/10.1016/j.jadohealth.2008.07.002
- [4] Diehl, K., Thiel, A., Zipfel, S., Mayer, J., Litaker, D. G., & Schneider, S. (2012). How healthy is the behavior of young athletes? A systematic literature review and meta-analyses. Journal of Sports Science & Medicine, 11(3), 346–368.
- [5] Eime, R. M., Young, J. A., Harvey, J. T., Charity, M. J., & Payne, W. R. (2013). A systematic review of the psychological and social benefits of participation in sport for children and adolescents: Informing development of a conceptual model of health through sport. International Journal of Behavioral Nutrition and Physical Activity, 10(98), 1–21. https://doi.org/10.1186/1479-5868-10-98







Volume-1 | Issue-I | September-2025 | ISSN: 3049-298X

- [6] Fredricks, J. A., & Eccles, J. S. (2006). Is extracurricular participation associated with beneficial outcomes? Concurrent and longitudinal relations. Developmental Psychology, 42(4), 698–713. https://doi.org/10.1037/0012-1649.42.4.698
- [7] Johnson, A., & Lee, M. (2019). Physical activity as a protective factor against drug initiation. Youth & Society, 51(4), 456–473. https://doi.org/10.1177/0044118X18756432
- [8] Kwan, M., Bobko, S., Faulkner, G., Donnelly, P., & Cairney, J. (2014). Sport participation and alcohol and illicit drug use in adolescents and young adults: A systematic review of longitudinal studies. Addictive Behaviors, 39(3), 497–506. https://doi.org/10.1016/j.addbeh.2013.11.006
- [9] Lisha, N. E., & Sussman, S. (2010). Relationship of high school and college sports participation with alcohol, tobacco, and illicit drug use: A review. Addictive Behaviors, 35(5), 399–407. https://doi.org/10.1016/j.addbeh.2009.12.032
- [10] Martens, R., & Webber, T. (2018). Exercise, endorphins, and addiction: A psychological analysis. Addictive Behaviors Reports, 8, 40–47. https://doi.org/10.1016/j.abrep.2018.07.002
- [11] National Institute on Drug Abuse. (2021). Monitoring the Future Survey: High school and youth trends. NIDA. Retrieved from https://nida.nih.gov
- [12] Pate, R. R., & O'Neill, J. R. (2017). Youth physical activity patterns and the prevention of unhealthy behaviors. Pediatric Exercise Science, 29(2), 159–166. https://doi.org/10.1123/pes.2016-0101
- [13] Smith, J. R., Thompson, L. M., & Howard, P. K. (2020). The impact of school sports on youth substance use. Journal of Adolescent Health, 67(3), 345–352. https://doi.org/10.1016/j.jadohealth.2020.03.012
- [14] Ströhle, A. (2009). Physical activity, exercise, depression and anxiety disorders. Journal of Neural Transmission, 116(6), 777–784. https://doi.org/10.1007/s00702-008-0092-x
- [15] World Health Organization. (2022). Global status report on physical activity 2022. WHO. Retrieved from https://www.who.int